

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
1	Fair Lime Ledges	Between the Lemon Fair and The Ledge N. of Rt. 125	L	19	~20-ac. of forested limestone ledges and adjacent woody successional lands near the Lemon Fair.	Two small limestone ledges with narrow islands of continuous forest (since 1942).	Successional forest lands leading down to Lemon Fair riparian lands.
2	The Ledges	South of RT. 125, E. of Hamlin Rd.	M	170	Known site with high biodiversity significance, including prominent limestone cliff, several upland forest natural communities, small wetlands, 4 -5 rare & 11 uncommon plants. Limestone/dolostone bedrock throughout.	Northern half of The Ledges forest block - one of the largest forest blocks in town. Significant portion of this area older hardwood forest, i.e. was forested in the 1942 aerial photos.	
3	The Ledges South	Southwest of Ridge Rd.	H	169	Southern half of The Ledges forest block on the same limestone ridge. Includes older hardwood forest (forested in 1942 aerial photo) and successional coniferous forest and brushy old fields.	Combined with The Ledges to the north, forms one of largest forest blocks in town. Reports of cave in area, both from boyhood experience crawling down in cave, and shown on old map.	
4	Northwest Corner	NW corner of town, east of Snake Mtn. Rd.	M	135	Successional woodland: rapidly changing and will disappear û pears, apples, redcedar in places, dogwoods, viburnums, some prickly ash. Was open fields, or rather poor pasture, in 1975	Successional shrub/forest habitat important for some wildlife species. One small (2.3 ac.) mapped wetland, and 2 small wetlands that appears as a ponds on hydro layer. Headwaters of short Lemon Fair drainages, and 1 small farm pond.	Most of slopes on east & west sides quartzites; dolostone on flats in center. Mostly Vergennes clay soils, with pockets of Covington. Farmington (rocky), & Nellis silty soils.
5	Snake Mountain Southend	North of Rt. 125/Snake Mtn. Rd. jct.	H	36	Hardwood dominated forest including a lot of white oak on steep, southwest-facing slope. Part of significant (980 ac) forested habitat block of which bulk is in adjacent Bridport. Shown as forest in 1942 aerial photos	Rocky quartzite ridge extending south as arm of Snake Mountain South site, which is largely in Bridport. Only Monkton quartzite bedrock in Cornwall in this corner of town.	Numerous rare and uncommon plants and animals known ~1/2-mile to NW on Snake Mtn. South site.
6	Lemon Fair Below Bridge	South bank of Lemon Fair downstream from LF bridge	L	13	Remnant floodplain forest along Lemon Fair and upland clay soil slope with secondary hardwood forest. Essentially all open in 1942 aerial photos. Adjacent Lemon Fair WMA	Small piece of young silver maple-green ash floodplain forest with many invasives, but 1 very rare plant. 1 mapped wetland (class 2) does not cover all the wetland along the river at this site. Almost half-mile wooded rivershore (riparian) habitat.	Rt. 125 stretch adjacent woodland has high (8) wildlife crossing value.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
7	Lemon Fair South	Beaver Bk. confluence with Lemon Fair N. of Rt. 125	M	81	Field and successional habitat with wet, frequently flooded heavy soils at Beaver Brook's confluence with Lemon Fair. Part of "Lake Lemon Fair"	Silty-clay alluvial lands where Beaver Brook joins the Lemon Fair. Includes 0.4 mi. of rivershore along Lemon Fair, and half-mile along Beaver Brook. High wildlife value. ~Thrid of polygon mapped as class 2 wetlands.	
8	Lemon Fair Middle	Both sides Lemon Fair ~1 mi. N. of Rt. 125	H	53	Secondary floodplain forest along Lemon Fair with small patch of clayplain forest. Part of "Lake Lemon Fair"	2-3 ac. remant clayplain white oak-hickory forest on east side of river at N. end, with little cattail marsh. This remnant shows in 1942 aerial photo. Most of polygon mapped as class 2 wetlands. Oxbow pond/channel on west side of river.	Remainder of poly secondary floodplain forest. Livingston clay (flooded), Covington silty clay (flooded), and Vergennes clay soils. High value habitat for wildlife. Part of small (60ac.) habitat block.
9	Lemon Fair North	West side Lemon Fair ~1.25 mi. N. of Rt. 125	H	29	Secondary floodplain forest along Lemon Fair - part of "Lake Lemon Fair"	Much of the wooded portion of this floodplain shows in 1942 aerial photo. Most of polygon mapped as class 2 wetlands. Oxbow pond/channel on west side of river. Almost entire polygon mapped as class 2 wetland.	Livingston clay (flooded) & Covington silty clay (flooded) soils. Field portion to south wet and likely marshy. High value habitat for wildlife. Part of small (60ac.) habitat block.
10	The Ledges North	Between Rt. 125 and Ledgemont Lane	H	158	Forest block of The Ledges limestone ridge system north of Rt. 125 with mix of hardwoods and conifers. Most of the steeper sloped areas forested in 1942 aerial photo. Shale & phyllite on east side of polygon	Though only a low-ranked (2) forest habitat block on state-level, at ~160 ac. one of the largest upland forest blocks in Cornwall. Rugged limestone ridge the at northern end of The Ledges. Several small wetlands, only 2 mapped (class 2).	Potential habitat for rare and uncommon plants associated with The Ledges proper south of Rt. 125. Pockets of Vergennes soil in drainages.
11	Lemon Fair Road East	East side of Lemon Fair Rd.	L	32	Small mixed conifer-hardwood block that shows as mostly open land in 1942 photos. Goes up to ledge with varying degress of intact forest. Likely heavily pastured in past.	Small (32-acre) secondary forest block. Mix of Farmington rocky limestone soils to east and Melrose fine sandy loam to west.. Some small old pasture openings.	
12	James-Rt. 125 NW Forest	NW of James Rd./Rt. 125 intersection	LM	6	Small, 6-ac. remnant hardwood forest block in midst of apple orchard. Same forest present in 1942 aerial photos. With sloping, extremely stony loam Nellis soil derived from glacial till. Shale & phyllite bedrock of Hortonville formation	Apparently older forest remnant that may never have been cleared for agricultural. Might have older hardwoods and intact native flora typical of glacial till soils in the region.	
13	Ledge Creek lower reach - N. of 125	Along Ledge Creek N. of Rt. 125	L	34	Remnant mixed forest patch and adjacent alluvial wetlands along Ledge Creek. Mostly forested in 1942 aerial photos. See Midd. College Lands ecological evaluation report for PAL 3 & 4 land cover units.	Forest remnant featuring two limestone hillocks with Farmington soils poking out of clayplain. Contiguous with 0.4 mi. of open, alluvial wetlands along Ledge Creek. Beaver impoundment & farm pond.	According to new state bedrock map, west hillock is Middlebury limestone while east hillock Hortonville shale & phyllite.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
14	Town Northeast Corner	Along Weybridge's Beaver Brook tributary in NE corner of town.	L	23	Forest fragment and herbaceous wetlands along small low-gradient stream. Except for in 1942 aerial photos. See Midd. College Lands ecological evaluation report for PAL 3 & 4 land cover units.	Open and wooded wetlands, and secondary forest wooded low hills, in riparian zone. Southern extension of larger forest fragment to north in Weybridge.	
15	Ledge Creek Reservoir	Reservoir and surroundings on Ledge Creek south of Rt. 125	L	63	Secondary forest fragment surrounding reservoir.	Pine plantation and secondary hardwood-conifer forest adjacent largest reservoir in town with mapped high wildlife habitat suitability and crossing values.	
16	Ledge Creek Middle Reach	Up drainage from Ledge Creek Reservoir	L	114	Medium-sized forest block of old and secondary forests, including fine examples of locally significant natural communities and 2 uncommon plants described in an ecological evaluation. Wetlands along Ledge Creek	7-ac. clayplain forest; 10-ac. transitional hardwood limestone forest; vernal pool along Cider Mill Rd.; incompletely mapped beaver wetlands on Ledge Creek; partially documented flora & fauna including 214 species vascular plants, 128 bird species	
17	Cider Mill South Woodlot	East side Cider Mill Rd. near Rt. 30	M	16	Small hardwood forest woodlot with vernal pool.	Small hardwood forest unit, the north half being older forest (present in 1942 aerial photo), with Nellis stony loam soil on shale & phyllite bedrock ridge. Includes the best vernal pool on this ridge.	
18	East Branch Beaver Brook Headwaters	East Branch Beaver Bk. drainage between Cider Mill & Ridge Rds.	L	72	String of beaver marsh wetlands, and adjacent wooded slopes, along headwater drainage.	Series of beaver impoundments, now mostly marshes, and one artificially impounded pond, along headwater drainage. All wooded areas secondary forest except for steep west-facing slope at uppermost (N) end of drainage. On W. edge of shale/phyllite ridge	In agricultural/rural residential development setting.
19	East Branch Beaver Brook - Orchard Run Reach	East Branch Beaver Bk. between Ridge & Orchard Run Rds.	L	18	Two artificial impoundments, the lower presently beaver marshes, along upper Beaver Brook.	Beaver marsh wetlands and artificial impoundment; adjacent woods providing riparian buffer	
20	East Branch Beaver Bk - Sperry-Orchard Run Reach	East Beaver Bk. between Sperry & Orchard Run Rds.	LM	50	Half-mile, moderately low-gradient, stretch of Beaver Bk. with strongly sinuos channel and associated alluvial clay narrow floodplain. Adjacent upland forest with secondary forest & conifer plantation, plus small old hardwood forest remnant	Alluvial clay soil wetlands (not mapped as class 2 wetlands); narrow marsh along tributary paralleling mainstem; remnant patch of hardwood forest shown on 1942 aerial photos; conifer plantation & secondary forest	Potential for rich woods given mapped limestone bedrock.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
21	Ledge Lane Woods	North side Sperry Rd. west of East Branch eaver Bk.	L	2	Hardwood forest remnant on low limestone hill.	Low limestone ridge end with small patch of hardwood forest. Rocky limy soils of Farmington series. Forest patch shown in 1942 & 1962 aerial photos.	Good potential for transition hardwoods limestone forest
22	East Branch Beaver Brook - Fisher to Sperry Rds.	East Beaver Bk. between Fisher & Sperry Rds.	M	51	Over half-mile, moderately low-gradient, stretch of Beaver Bk. with strongly sinuous channel and associated alluvial silty clay narrow floodplain. Adjacent upland forest with small mixed forest on rocky limestone slope	Alluvial clay soil wetlands (not mapped as class 2 wetlands); remnant (shown on 1942 aerial photos) patch of mixed forest on rocky limestone slope	Good potential for transition hardwoods limestone forest
23	Dr. Bingham's Woods	Woods to either side of Beaver Brook N. of Rt. 74	H	73	Patch of older clayplain forest and surrounding secondary forest on various soils. Narrow alluvial wetland strand mapped along brook.	Small patch of clayplain forest that is shown on 1942 photos surrounded by secondary forest on variety of stony loam and fine sandy loam soils. Narrow band of wetland mapped along brook.	Reported to be unique area with steep banks with more hemlock and older trees. Springs shown on both sides of brook on Beers' 1871 map
24	Beaver Brook Branch Confluence	Confluence of east branch with main stem Beaver Bk., N. of Rt. 74	M	90	Secondary clay forest, plantation, and pasture between streams at their confluence. Alluvial wetlands along streams cutting through clay.	Substantial patch of clayplain with secondary forest, including plantation, and pasture situated between branches of Beaver Bk. Significant mapped wetlands with alluvial silty clay soils along both branches.	Adjacent site 23, which combined, form a more significant forest block. Potentially a good site for clayplain forest restoration.
25	Beaver Brook Woods South of Sperry Rd.	Beaver Brook upstream (S) of Sperry Rd.	M	88	Secondary clay forest along meandering stretch of beaver brook. Alluvial wetlands along brook.	Substantial patch of clayplain with secondary forest dominated by white pine and redcedar. Significant mapped wetlands with alluvial silty clay soils along Beaver Bk.	Area around houses excluded inside polygon
26	Beaver Brook Woods North of Sperry Rd.	Beaver Brook downstream (N.) of Sperry Rd.	M	46	Secondary forest along a strongly winding reach of Beaver Brook with wetland alluvial bottoms deeply cut into clay.	Mixed forest on steeply-pitched clay slopes along Beaver Brook. Mapped wetlands with silty clay soils in alluvial bottoms.	Residential development cut into forest block.
27	The Gully Forest Block	West side of Beaver Bk. south of Foote Farm	MH	230	Sloping & dissected clayplain with state-significant clayplain & sand-over-clay forest remnant.	Quite large, forested clayplain area dissected by Beaver Bk. and tributaries. Includes small, state-significant examples of mesic clayplain forest and sand-over-clay forest with 2 rare plants. Large ledge on Beaver Bk. likely marble.	Secondary clayplain forest described for forest surrounding, though 1942 aerial photos show more extensive forest present. Big hemlock area of town. A steep ravine locally known as "The Gully" with band of sand below clay.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
28	Lower Beaver Brook	Beaver Bk. upstream (S.) of Rt. 125	M	68	Large area of alluvial silty clay and clay soil wetlands in Beaver Bk. floodplain set in agricultural/post-agricultural setting.	Large mapped wetland area of flooded Covington silty clay and Livingston clay soils along lower Beaver Bk. Includes marshy and shrubby vegetation, plus some low fields.	Immediately adjacent 2 forest blocks (sites 27 & 29). Presumably part of "Lake Lemon Fair" during high water events.
29	Beaver Brook-Ledges Connection	North of Tulley Rd., east of Beaver Bk.	M	103	Irregularly-shaped forested area associated with dissected clayplain and limestone slope.	Area dominated by secondary mixed forest on clay soils. Continuous forest on rocky dolostone slope inclusion. Though not mapped, alluvial wetlands along Beaver Bk. tributaries.	Shrubby old field patches.
30	Hornbeam Hill	Lot N. of Hornbeam Hill Rd., S. of Rt. 125 & E. of West St.	LM	32	Small (30-ac.) block of successional woodlands on sloping, dissected clayplain.	Block of old pasture with shrubby, and deciduous and coniferous successional forest. Sloping clayplain dissected by stream with small, unmapped, alluvial wetlands.	
31	Lemon Fair Above Bridge	Lemon Fair River upstream of Rt. 125 bridge	L	23	Quarter-mile stretch of the Lemon Fair with flooded, silty clay wetlands.	Part of "Lake Lemon Fair" and the Lemon Fair WMA. Two rare freshwater mussels known from this stretch of the Lemon Fair.	
32	Lemon Fair NW Shore	North/west shore of Lemon Fair downstream from Rt. 125 bridge	LM	74	Band of frequently flooded silty clay and clay soils with wet meadows and marshy vegetation along a mile+ stretch of the Lemon Fair. In "Lake Lemon Fair".	100-800-foot wide zone of silty clay and clay soils with some mapped wetlands. Two rare freshwater mussels known from along Lemon Fair in this area.	
33	North Bingham-Sperry SE Woodlot	SE of Sperry/North Bingham St. junction	L	12	12-ac. continuous hardwood woodlot (present in 1948 aerial photo). Heavily damaged in 1998 ice storm.	Remnant continuous forest with stony loam and silty loam soils. Surrounded by orchards & fields	
34	North Bingham Street Woodlot	West side of North Bingham St. 0.4 mi. S. of Cross Rd.	L	8	8-ac. continuous hardwood woodlot (present in 1948 aerial photo). Damaged in 1998 ice storm. Sugarbush	Small continuous woodlot on town road surrounded by houses, orchard, and fields. Soils vary from fine sandy loam, to clay, to extremely loamy loam.	
35	West Cornwall Ridge - North Woodlot	West-facing slope east of West St., ~0.9 mi. S. of Cross Rd.	M	32	32-ac. continuous hardwood woodlot (present in 1948 aerial photo). Severely damaged in 1998 ice storm. Sugarbush	Medium sized continuous woodlot on town road surrounded by old fields, field, house, orchard. With sloping clay and extremely stony loam soils.	

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
36	West Cornwall Ridge - Central N. Woodlot	Between West & N. Bingham St., ~0.8 mi. N. of Rt 74.	M	75	~75-acre upland woods with 1/3 continuous hardwood forest (present in 1948 aerial photo) and the remainder mixed secondary forest	West third of site continuous hardwood forest on west-facing slope with extremely stony loam soils. Bulk of site on flat ridge summit with secondary mixed forest growing in stony silt loam soil.	
37	West Cornwall Ridge - Central S. Woodlot	Between West and N. Bingham St., ~0.5 mi. N. of Rt 74.	M	80	80-acre continuous hardwood forest (present in 1949 aerial photos) on flat ridge summit.	Larger continuous hardwood forest woodlot surrounded by fields and orchards. On flat to gently sloping hill summit with extremely stony and stony silt loam soil.	Small clusters of conifers may represent low spots.
38	Upper Fair Clay Draws	Short drainage N. of Rt. 74 and W. of West St.	L	32	Small continuous forest and adjacent successional vegetation occupying short drainage cut into clay. This short drainage empties directly into Lemon Fair after curving around dolostone/limestone ledges	~25-ac. continuous forest (since 1942) composed of conifer and hardwoods associated with clay gullies surrounded by successional woodland, old field, and fields. Small mapped wetland associated with drainage bottom	Part of larger forest block immediately adjacent the Lemon Fair. Portion in Bridport forested limy ledges.
39	Upper Fair Clay Slope	Immediately N. of Rt. 74 and W. of West St.	L	46	46-acre secondary forest on dissected clay slope draining into site 38 ravines	Successional woodland block dominated by conifers to south. Open in both 1942 & 1962 aerial photos. On slope with clay and extremely stony loam soils.	
40	Westside Ledge	Immediately S. of Rt. 74 at Shoreham townline	LM	52	50-acre continuous and secondary forest on steep, rocky, west-facing dolostone/limestone slope.	West half of woods continuous hardwood forest on fertile (limy) rocky slope. East half conifer secondary forest on gentler stony loam soil.	Part of larger forest block extending into Shoreham. Small piece of rocky limestone forest extends on to N. side Rt. 74.
41	Audet Road Woodlot	Woodlot east of Audet Rd.	LM	25	25-acre continuous forest lot dominated by hardwoods. Reported older woods.	Small continuous woodlot surrounded by fields. Soils predominantly extremely stony loams with band of hydric fine sandy loam in shallow trough.	2 small articial ponds
42	Bascom West Trib Headwaters	Both sides S. end of Audet Rd.	M	56	50-acre shrubby, successional vegetation area associated with pair of headwater drainages cutting into clay.	Successional lot with redcedar in dissected clay, plus <5-ac. continuous forest lot along townline. Shows as open pasture as late as 2006.	Tiny mapped wetland an old farm pond with breached dam.
43	Wooster Road South Woodlot	South of Wooster Rd. along Shoreham townline	M	80	80-acre woodlot with patches of continuous forest, small wet soil areas, and rocky limestone slope	Bulk of site continuous forest (forested in 1942) dominated by hardwoods. with extremely stony loam soils.	Marshy un-mapped wetland associated with flooded clay along Bascom Bk. W. trib. Could be swamp/wet woods @ N. end of unit. Small areas of successional vegetation adjacent.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
44	DeLong Hill West-north	NW of Wooster Rd-South Bingham intersection	L	13	13-acre continuous forest lot, one of several several on DeLong Hill, a rocky limestone hill.	Small continuous forest dominated by hardwoods with one strip of conifers along road.	Moderately sloping Farmington soils. Bordered by town roads on 2 sides
45	DeLong Hill West-central	SE of Wooster Rd.-South Bingham intersection	M	25	25-acre forest lot, the bulk being continuous forest, one of several several on DeLong Hill, a rocky limestone hill.	Small continuous forest dominated by hardwoods with clay-soil mapped wetland in SW corner. Vernal pools with spring peepers at old quarry site.	Moderately sloping Farmington soils. Bordered by town roads on 2 sides. Site for historical lime quarry.
46	DeLong Hill East-north	East of Wooster Rd.-South Bingham intersection	H	35	35-acre, very rocky limestone forest, the southern half being partly wooded in 1942. Likely historical site for state-threatened plant	While currently all forested, the 1942 aerial photo shows forest/woodland only on SW slope. Abundant limestone outcrops are shown in open pasture just to north of woods	Like historical location ("DeLong Ledge") of the rare Short-styled Snakeroot (<i>Sanicula canadensis</i>). Secondary forest @ north end largely coniferous. Site for historical lime quarry.
47	DeLong Hill East-central	NE of Cutting Hill Rd.-South Bingham intersection	MH	46	45-acre, very rocky limestone forest, the south & north ends showing patches of woods in 1942.	Moderate-sized hardwood forest parts of which are continuous since 1942. Abundant limestone outcrops shown adjacent rd. at north end of site.	Bisected by old town road, now with driveway from S. Bingham to house.
48	DeLong Hill East-south	East of South Bingham at Whiting townline	LM	98	Ca. 100-acre secondary forest with 3 small mapped wetlands, each draining a different direction	The secondary forest (come in after 1962) largely hardwood to W. & N., but dense even-aged conifer (plantation?) to east.	Upland soils include rocky limestone loam to W & N, and extremely stony loams to east. Small wetlands associated with clayey and fine sandy loam hydric soils.
49	DeLong Road Corner Southwest	South of DeLong Rd. right-angle corner	LM	40	40-acre mix of continuous (since 1942) and secondary forest 2 different soil and bedrock types	Hardwood forest a mix of pretty old hickory, oak, sugar maple, including bully trees and lots of invasives. Small stand of old field northern white cedar visible from road.	East portion mapped associated with mapped limestone bedrock and Farmington soil. West extremely stony loams associated with shale & phyllite bedrock.
50	First Schoolhouse Woodlot	Woodlot on east side DeLong Rd. north of right-angle corner	LM	23	10-acre rectangular woodlot extant since 1942 and adjacent wetlands associated with small stream drainage	Small hardwood forest mapped with extremely stony loam soil. Adjacent long, marshy unmapped wetland associated with hydric fine sandy loam soil of the Swanton series.	The wetland may have old beaver impoundments. "First School Ho." mapped at/adjacent the woodlot.
51	DeLong Hill West-south	West side of South Bingham north of Cutting Hill Rd.	L	12	12-acre continuous woodlot (since 1942) on rocky limestone hill slope.	Small continuous forest woodlot dominated by hardwoods with rocky limestone silt loam soils	Surrounded by fields, pasture, and one town road

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
52	Bascom Brook	Bascom Brook from Whiting line north	L	18	Long, skinny mapped wetland associated with silty clay soils (frequently flooded) running through farm fields		
53	Douglas Pond and Woods	From pond at Douglas Rd. NW up towards corner DeLong & Park Hill intersection	H	150	Douglas Pond and its forested small watershed, including series of beaver marshes and shrub swamps.	100+ ac. forest block, ~half being continuous forest since at least 1942, with springs feeding ~20 ac. beaver wetlands & Douglas Pond. Site includes diverse soils: rocky limestone, gravelly, and sandy.	This short, spring-fed drainage directly feeds Cornwall Swamp. Site includes this drainages entire watershed. Pond with old dam. Lots of invasives around pond. Former prime swimming and fishing hole.
54	Beaver Brook Headwater Forest	North of Park Hill Rd.	H	201	200+-acre forest block including headwater wetlands of Beaver Brook.	A larger forest block with patches of continuous (since 1942) forest. Includes mapped 60-acre forested wetland, plus reservoir and wetlands associated with Beaver Bk.	Conifer and hardwood forest present. Wetlands mapped as wet clay soils; uplands both stony silt loams and fine sandy loams.
55	Clark Road South Woodlot	In middle of fields 1000' south of Clark Rd. and east of Beaver Brook.	LM	35	Small (35-acre) woodlot with mapped forested wetland surrounded by fields.	West third of woodlot continuous hardwood forest since 1942; center third secondary conifer forest; East third a mixed forest with mapped wetland on hydric silty clay and poorly drained stony loam.	
56	Clark Road North Woodlot	Woodlot between Clark Rd. & Rt. 74	M	66	Small-medium (65-acre) woodlot with small potential clayplain forest and un-mapped wet clay wetlands associated with stream	Roughly half of this 65-ac. woodlot is continuous forest since 1942. ~15 ac. of the continuous forest is mapped clay soil leading to the potential for a remnant clayplain forest.	The secondary forest is mixed composition associated with sloping stony loam and silt loam soils leading down to a stream with open marshy vegetation occupying mapped wet clay soils. Sandwiched between Rt. 74 and Rt. 30.
57	Middle Cornwall Ledge	Hill west of Rt. 30 just north of Clark Rd. intersection	M	47	Small (47-ac.) woodlot on limestone hill. Bulk of site continuous forest since 1942.	Forested limestone hill with steep west-facing slope. Hardwood forest largely continuous since at least 1942.	Ledge mapped in Beers 1871 Atlas. Sandwiched between Rt. 74 and Rt. 30.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
58	Mineral Spring Hill	Southeast of Peet Rd./Route 30 intersection	MH	105	Medium-sized (~100-ac.) forested & rocky limestone hill with three houses, plus some small old fields.	Prominent limestone hill SE of village. The north half of this "boney" limestone hill was forested in 1942 while the south was sapling/old fields with numerous limestone outcrops exposed.	Includes ~8-ac. wet clay old field on west side. Mineral spring shown on Beers 1871 map on NW of hill. Three houses, 2 on forest edge and one in forest interior.
59	Two Small Woodlots	Woodlots in middle of field between Peet & Morse Rds.	L	14	Two very small (5-ac. each) continuous forest (since 1942) woodlots in midst of extensive fields.	These 2 small woodlots occupying low hills, both likely with shale bedrock, though soils and bedrock maps differ.	
60	School No. 2 Hill	Hill across Rt. 30 from old School No. 2; NE of Morse Rd./Rt. 30 intersection	M	26	Small, forested, limestone/shale hill in village described as old sugarbush with ledgy ground, easy to walk through, with good spring wildflowers.	25-acre site a small hill of limestone and shale, with hardwood forest, ~half of which continuous forest since at least 1942.	Two pools or dug ponds in woods on south side of hill. Old pasture at north end. Reported to be the site of old limestone quarry that provided stone for Mid. College. Lime ledge shown on Beers' 1971 atlas here.
61	Little Brook Woods	Small woods bisected by stream south of Robbins Rd.	M	20	Small (20-ac.) hardwood forest with conifer patches bisected by small stream and riparian meadow.	Limestone hill on west side of stream described as a special forest: small trees, esp. hardhack/hornbeam with open understory. Stream and west side mapped as wet, clay soils.	~50-ft. wide open stream bottom likely wetland.
62	Round Hill	North side of Morse Rd., 0.8 mi. east of Rt. 30	L	5	Tiny (5-ac.) round woodlot on small limestone hill.	Very small hardwood forest on low limestone hill surrounded by fields, farm, and house. Small stream draining into the Swamp runs along north side of hill.	
63	Middlebury Swamp Edge Hill	On west side of Middlebury Swamp, 1/4-mile N. of Morse Rd.	L	8	Small, skinny, forested limestone hill very close to Middlebury Swamp.	8 acres of hardwood forest, the southern third of which is continuous forest since at least 1942. On low limestone ridge. 1942 aerial photos shows abundant outcrop exposures on north end of hill.	
64	Cobbs Corner East	West of south end of Andrus Pitch	L	23	20-ac. woods bordering stream entering N. end Middlebury Swamp.	Small woodlot of mixed secondary forest along small stream. Mix of upland stony loam and wet clay soils. Reported vernal pool and mineral springs/swamp in this area.	

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
65	Snake Mountain Road West	West side of Snake Mountain Rd. near Bridport line	LM	35	35-ac. wooded site, including old sugarbush and successional mixed conifer-hardwood woodlands in fertile, rocky soil terrain.	~8 acres of old sugarbush (continuous forest since at least 1942) bisected by a driveway, with mixed successional woodlands to north and south.	Area with shallow, rocky, soil over Monkton quartzite bedrock, which can be fertile. Exposed quartzite slabs esp. at south end. Numerous rare and uncommon plants known from ledges a short distance to the west in Bridport.
66	Slope-to-Swamp South	West side of Cornwall Swamp, south of Swamp Rd.	M	25	25-ac. upland hardwood forest adjacent Cornwall Swamp	Small forested site occupying small flat and steep slope leading down to Swamp. Mostly continuous forest since 1942. Stony loam soils over shale & phyllite bedrock	Couple small openings along Whiting line appear to be ledge.
67	Scove Hill	West side of Cornwall Swamp, north of Swamp Rd.	M	78	~75-ac. of mostly continuous forest (since 1942) occupying upland summit and clay-soil N. tip of the Scove Hill peninsula sticking out into the Swamp	Hardwood dominated forest reported to have some big oak on west side of hill. Shares a long ecological boundary with Cornwall Swamp.	Hill mapped as have extremely rocky, acidic, silt loam soils derived from shale or slate. But new state bedrock map shows this as limestone hill, which would not be acidic soil.
68	Swamp Westside Hills	Hills on west side of Cornwall Swamp, north of Scove Hill	H	185	Larger (185-ac.) block of forest found on the limestone hills along west side of the Swamp.	Over half of site continuous hardwood forest, including reported beautiful sugarbush and "bitternut walnut" (bitternut hickory?)	Predominantly rocky limestone soils with small areas of clay soil adjacent swamp. Site includes couple small pastures. Coniferous areas all secondary forest (open in 1942).
69	Hollands Pasture Island	Island in Cornwall Swamp S. of Morse Rd.	MH	54	~50-ac. strip of clay forest along west side and at tip of island.	Mix of hardwood and conifer woods on mapped wet clay soils, plus a little rocky limestone soil. Continuous forest since at least 1942.	Gravel rd. and opening in southern portion of forest.
70	Cornwall Swamp Center	Central portion of Cornwall Swamp NE of Scove Hill	H	751	Large entral section (750 ac.) of Cornwall Swamp predominantly red maple-cedar swamp with pockets of other natural communities	Major part of state-significant red-cedar swamp with pockets of northern white cedar swamp, cedar-black spruce swamp, cedar-shrub swamp. Numerous rare plants and one rare animal.	One island dominated by northern hardwood forest, plus few cedar.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
71	Cornwall Swamp South End	Portion of Cornwall Swamp to either side of Swamp Rd.	ML	563	Major section (~560 ac.) of the red maple-cedar swamp that is bisected by Swamp Rd.	Part of state-significant red-cedar swamp. Less cedar in this area. Includes a logged area. Several rare species.	
72	Cornwall Swamp North End	North portion of Cornwall Swamp SW of Hollands Pasture Island	ML	365	Northern end of main body of Cornwall Swamp dominated by large area (350 ac.) of hardwood swamp	State significant red maple-black ash swamp within Cornwall Swamp. To south grades into part of the state-significant red maple-northern white cedar swamp.	
73	Otter Creek Riparian Zone	West side of Otter Creek	L	557	500+-acre riparian zone along ~3.5 miles of Otter Creek, including floodplain forest, swamp, marsh, and old fields.	Narrow strips of silver maple-ostrich fern floodplain forest occupy the river levee. What is not field swamp-ward from the river, is red or silver maple-green ash swamp.	Old fields now marshy in places, esp. the "pothole" (apparently human impounded 1962) at the stretch's downstream end.
74	Cornwall Swamp Brook Arm	Arm of Cornwall Swamp west of Scove Hill	H	100	~100-ac. narrow arm of Cornwall Swamp fed by small Douglas Pond stream drainage - "the brook".	North half predominantly dense conifer swamp mapped as red maple-N. white cedar swamp while south (updrainage) portion open marshy vegetation with at least couple beaver dams.	North end includes the "swamp meadow" that had cattle pastured. Now still open, riddled with channels, presumably from beaver.
75	Cornwall Swamp Northwest Arm	Arm of Cornwall Swamp that extends northwest towards Clark Rd-Rt. 30 intersection	LM	144	~145 acres of hardwood-dominated swamp in arm of Cornwall Swamp	A large hardwood section of swamp that has in past mapped as silver/red maple-green ash swamp, with 3 uncommon plants.	Conifers sprinkled in SW portion of area. West-central part of swamp looks marshy. Topo map shows a small stream that originates along W. side of Rt. 30 empties into swamp here.
76	Cornwall Swamp North Arm	Arm of Cornwall Swamp that extends north almost to Peet Rd.	M	177	~175 acres of hardwood swamp in arm of Cornwall Swamp.	A large hardwood section of swamp that has in past mapped as red maple-black ash. Small conifers sprinkled throughout the swamp.	West wetland margin might be wet clay forest or swamp, as well as an islet in north portion of arm.

Site Number	SiteName	Location	Visit Priority	Acres	Description	Features1	Features2
77	Cornwall Swamp Hollands Pasture Island Neck	Narrow portion of Otter Creek Swamps wetland complex W. of Hollands Pasture Island and S. of Morse Rd.	M	227	~225 acres of hardwood-dominated swamp, including beaver large beaver impounded marshy areas, in a narrow part of the Otter Creek Swamps wetlands complex.	A large hardwood section of swamp that has in past mapped as red maple-black ash. Conifers (white pine?) sprinkled throughout the swamp.	Northern half clearly impounded by beaver along "stony road" (rd. built on stone fill). South half reportedly also beaver impounded at Parker Crossing.
78	Middlebury Swamp	Portion of Otter Creek Swamps wetland complex N. of Morse Rd.	H	180	~180 acres of hardwood swamp near the north end of the Otter Creek Swamps wetlands complex	A large hardwood swamp that has in past mapped as red maple-black ash. No conifers visable on leaf-off aerial photos.	While most of wetland mapped with muck & peat soil, aerial photos suggest margins, incl. a peninsula to north, are wet clay soils.
79	Middlebury Swamp North Extension	North-most extension of the Swamp, east of Andrus Pitch	L	116	~115 acres of wet forest & swamp at the extreme north end of the Otter Creek Swamps wetlands complex.	Wet clayplain forest to the west and red/silver maple-green ash swamp forest to east; two rare plants.	

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
1					Medium-high (5-7s) wildlife suitability rankings.	VCGI data layers; historical aerial photos
2	temperate calcareous cliff; transition hardwood talus woodland; transitional limestone forest; hemlock-northern hardwood forest; dry oak-hickory-hop hornbeam forest, perched marsh-shrub wetland	Stout Goldenrod (<i>Solidago squarrosa</i>), Short-styled Snakeroot (<i>Sanicula canadensis</i>), Shorthusk (true <i>Brachyelytrum erectum</i>), Eastern Manna-grass (<i>Glyceria septentrionalis</i>), potential Pignut Hickory (<i>Carya glabra</i>)	Fragrant Sumac (<i>Rhus aromatica</i>), Glade Fern (<i>Diplazium pycnocarpon</i>), Purple-stem and Smooth Cliffbrakes (<i>Pellaea atropurpurea</i> , <i>P. glabella</i>); Slender Muhlenbergia (<i>Muhlenbergia tenuiflora</i>), Four-leaved Milkweed (<i>Asclepias quadrifolia</i>)	Snowberry (<i>Symphoricarpos albus</i> var. <i>albus</i>), Slender Wheatgrass (<i>Elymus trachycaulus</i>), Hitchcock's Sedge (<i>Carex hitchcockiana</i>), Minnesota Sedge (<i>Carex albursina</i>), Drooping Bluegrass (<i>Poa saltuensis</i> ssp. <i>saltuensis</i>)	Turkey. Potential good bat habitat. 2013: neotropical migrants, including scarlet tanager, hermit thrush, red-eyed vireo during breeding season.	Natural Heritage Program; B. Engstrom 2013 field surveys; 2013 resident interviews; VT F&W habitat block data layer from VCGI
3	Likely transition limestone forest and mesic maple-ash-oak-hickory forest.				Reported bobcat at site & maybe den. Successional forest could be important for some bird & other wildlife species	2013 resident interviews; VT F&W habitat block data layer from VCGI
4		Blue-winged & golden-winged warbler (<i>Vermivora pinus</i> & <i>V. chrysoptera</i>) complex			Bird species, including Blue-winged & golden-winged warbler, rufous-sided towhee, field sparrow, and woodcock; bobcat, coyote regularly	2013 resident interviews; Wetlands & hydro GIS layers
5			Blue-spotted salamander (<i>Ambystoma laterale</i>) known from along Rt. 125.		Part of highest ranked (4.4) habitat block (Snake Mountain South) in Cornwall. Medium (6) wildlife suitability ranking	2013 resident interviews; VT F&W habitat block data layer from VCGI; Natural Heritage Program
6	Silver maple-sensitive fern riverine floodplain forest; successional valley clayplain forest	Foxtail sedge (<i>Carex alopecoidea</i>); Two freshwater mussels -Giant Floater (<i>Pyganodon grandis</i>) & Creek Heelsplitter (<i>Lasmigona compressa</i>) - recorded from along Lemon Fair in this vicinity	Blue-spotted salamander (<i>Ambystoma laterale</i>) known from along Rt. 125. Gray's sedge (<i>Carex grayi</i>)		Snapping turtle found DOR at Rt. 125 bridge immediately upstream. In general a lot of wildlife associated with early successional habitats along the Lemon Fair in Cornwall.	2013 resident interviews; Natural Heritage Program; VTTrans Wildlife Crossing Value layer

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
7		Giant Floater (<i>Pyganodon grandis</i>) recorded along this reach of Lemon Fair.	Blue-spotted salamander (<i>Ambystoma laterale</i>) known from along Rt. 125.		Lot of beaver activity. In general a lot of wildlife associated with early successional habitats along the Lemon Fair in Cornwall. High (8-8.5) wildlife crossing value of Rt. 125.	2013 resident interviews; Natural Heritage Program; VTrans Wildlife Crossing Value layer; VCGI data layers
8	valley clayplain forest, Silver maple-sensitive fern riverine floodplain forest, cattail marsh, oxbow pond/marsh	Giant Floater (<i>Pyganodon grandis</i>) recorded along this reach of Lemon Fair.			In general a lot of wildlife associated with early successional habitats along the Lemon Fair in Cornwall. Waterfowl on the Lemon Fair in this area.	2013 resident interviews; Natural Heritage Program; VCGI data layers
9	Silver maple-sensitive fern riverine floodplain forest; oxbow pond/marsh	Giant Floater (<i>Pyganodon grandis</i>) recorded along this reach of Lemon Fair.			In general a lot of wildlife associated with early successional habitats along the Lemon Fair in Cornwall. Waterfowl on the Lemon Fair in this area.	2013 resident interviews; Natural Heritage Program; VCGI data layers
10	unknown, though likely transitional hardwoods limestone forest and successional white pine-northern hardwood forest	Federally-threatened Indiana Bat (<i>Myotis sodalis</i>) known from forested area in Weybridge 1+ mile to the north.	Blue-spotted salamander (<i>Ambystoma laterale</i>) known from along Rt. 125.			Natural Heritage Program; VCGI data layers
11		Federally-threatened Indiana Bat (<i>Myotis sodalis</i>) known from forested area in Weybridge 1+ mile to the north.	Blue-spotted salamander (<i>Ambystoma laterale</i>) known from along Rt. 125.			2013 resident interviews; Natural Heritage Program; VCGI data layers
12			Blue-spotted salamander (<i>Ambystoma laterale</i>) known from along Rt. 125.			Natural Heritage Program; VCGI data layers
13	transitional hardwoods limestone forest, successional valley clayplain forest, cattail marsh		Blue-spotted salamander (<i>Ambystoma laterale</i>) known from along Rt. 125.		Woods with many deer & coyote. Little wildlife movement across James Rd. Beaver. Mapped high wildlife habitat suitability value, and high wildlife crossing value along Rt. 125	2013 public forum; Natural Heritage Program; VCGI data layers; Ecolog. & Agroecolog. Evaluation of Midd. College Lands draft (2010) report, p. 70; VT Fish & Wildlife Dept.

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
14	silver/red maple-green ash swamp; successional clay soil forest					Natural Heritage Program; VCGI data layers; Ecolog. & Agroecolog. Evaluation of Midd. College Lands draft (2010) report, p. 70
15					Mapped high wildlife habitat suitability value, and high wildlife crossing value along Rt. 125	Natural Heritage Program; VCGI data layers; Ecological Evaluation & Management Plan: Lands of Willard & Carolyn Jackson by Marc Lapin, Oct. 2011
16					Deer, moose, bobcat, red fox, coyotes have been observed on property; southern & northern flying squirrels; breeding bobolink & meadowlark; 128 bird species incl. 59 likely breeders; high (7 & 8) wildlife suitability rankings	Natural Heritage Program; VCGI data layers; Ecological Evaluation & Management Plan: Lands of Willard & Carolyn Jackson by Marc Lapin, Oct. 2011; VT Fish & Wildlife Dept.; historical aerial photos
17	vernal pool					2013 resident interviews; VCGI data layers; historical aerial photos
18					Spring peeper, wood frog, gray tree frog, bull frog heard calling from wetlands. Medium to medium-high (5-7) wildlife suitability rankings	2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
19					Beaver, coyote. Medium to medium-high (5-7) wildlife suitability rankings	2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
20					Medium to medium-high (5-7) wildlife suitability rankings	2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
21					Medium (6) wildlife suitability ranking	VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
22					Surprising wildlife activity, including bobcat. Medium (6) wildlife suitability ranking	2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
23					Most of area mapped with high (7-8) wildlife suitability ranking	2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept. Beers' 1871 Atlas of Addison Co.
24					Most of area mapped with high (8) wildlife suitability ranking. Near stretch of Rt. 74 with moderately high wildlife crossing value.	VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
25					Reported to be deeryard. High (7-8) wildlife suitability ranking	2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
26					Good wildlife area with bobcat and otter. Reported horned dace (or creek chub, Semotilus atromaculatus?) in brook. High (7-8) wildlife suitability ranking	2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
27	Mesic clayplain forest, sand-over-clay forest, successional clayplain forest	American hazelnut (<i>Corylus americana</i>) - S2; Loose Sedge (<i>Carex laxiculmis</i>) - S2			Bobcat, fox dens dug in sandy areas. Medium (5) to high (8.8) wildlife suitability rankings. Medium (4) Habitat Block value class as part of the extended Ledges forest	Natural Heritage Program; 2013 resident interviews; VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
28					Medium-high (6-8) wildlife suitability rankings. High (8) wildlife crossing value assigned to Rt. 125 at N. end of site.	VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
29					Medium (5) to high (8.5) wildlife suitability rankings. Medium (4) Habitat Block value class as part of the extended Ledges forest	VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept
30					Medium (4) to high (7.9) wildlife suitability rankings. Stretch of Rt. 125 with high (8) wildlife crossing value. Potential for early successional woodland birds, such as blue-winged & golden-winged warblers, towhees, etc.	VCGI data layers; historical aerial photos; VT Fish & Wildlife Dept.
31		Giant floater (<i>Pyganodon grandis</i>) - S2S2, state-threatened, and Creek heelsplitter (<i>Lasmigona compressa</i>)			Medium (5) wildlife suitability rankings	Natural Heritage Program; VCGI data layers; VT Fish & Wildlife Dept.
32		Giant floater (<i>Pyganodon grandis</i>) - S2S3, state-threatened, and creek heelsplitter (<i>Lasmigona compressa</i>)			High (6-8) wildlife suitability rankings.	VCGI data layers; Natural Heritage Program; Vt Fish & Wildlife Dept.
33					Medium (5) wildlife suitability rankings	VCGI data layers; historical aerial photos; local resident interviews
34					Barred owl, fisher. Barred owls reported to have gained from 1998 ice storm damage. Medium (5) wildlife suitability rankings	VCGI data layers; historical aerial photos; local resident interviews
35					Medium (5-6) wildlife suitability rankings	VCGI data layers; historical aerial photos; local resident interviews

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
36					Good wildlife habitat according to local resident. Medium (5-6) wildlife suitability rankings	VCGI data layers; historical aerial photos; local resident interviews
37					Medium (4-5) wildlife suitability rankings	VCGI data layers; historical aerial photos
38					Mostly medium-high (6-8) wildlife suitability rankings. Forested link connecting West Cornwall Hill uplands to upper Fair	VCGI data layers; historical aerial photos
39					Medium (5s) wildlife suitability rankings. Forested link connecting West Cornwall Hill uplands to upper Fair	VCGI data layers; historical aerial photos
40					Medium- med.-high (5-7) wildlife suitability rankings. Forested link connecting West Cornwall Hill uplands to upper Fair	VCGI data layers; historical aerial photos
41					Medium (5-6) wildlife suitability rankings	VCGI data layers; historical aerial photos
42					Medium-low (4-5) wildlife suitability rankings. Potentially good successional habitat for some rare birds	VCGI data layers; historical aerial photos
43					Mostly medium-high (6-7) wildlife suitability rankings. Borders small stream.	VCGI data layers; historical aerial photos

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
44					Medium (6) wildlife suitability rankings	VCGI data layers; historical aerial photos
45					Mostly medium-high (6-7) wildlife suitability rankings. Spring peepers at vernal pools	VCGI data layers; historical aerial photos; local resident interviews; Beers' 1871 Atlas of Addison County
46	Likely site for transitional hardwoods limestone forest	Short-styled Snakeroot (<i>Sanicula canadensis</i> var. <i>canadensis</i>)			Medium (5) wildlife suitability rankings	VCGI data layers; historical aerial photos; local resident interviews; Natural Heritage Program data; Beers' 1871 Atlas of Addison County
47	Likely site for transitional hardwoods limestone forest				Medium (5-6) wildlife suitability rankings. Part of one of the larger forest blocks in town.	VCGI data layers; historical aerial photos
48					Medium (5-6) wildlife suitability rankings. Part of one of the larger forest blocks in town.	VCGI data layers; historical aerial photos
49					Medium (5-6) wildlife suitability rankings. Part of one of the larger forest blocks in town. Reported wildlife travel corridor at DeLong Rd.right-angle turn to north	VCGI data layers; historical aerial photos; local resident interviews
50					Medium -low (3-5) wildlife suitability rankings. Surrounded by field with road on one side	VCGI data layers; historical aerial photos
51					Mostly medium-high (6-7) wildlife suitability rankings.	VCGI data layers; historical aerial photos; Beers' 1871 Atlas of Addison County

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
52					Wealth of bird and mammal (bobcat, fox, report of bear) notes from farm here. Medium (5-6) wildlife suitability rankings.	VCGI data layers; historical aerial photos; local resident interviews
53					Otter, beaver, deer, turkey, several fish (perch, pickerel, bullhead, at least in past). 2 travel corridors reported: to N. and E. Moderate (5-5.5) wildlife crossing value of Rt. 30 to east. Mostly medium-high (5-7) wildlife suitability rankings.	VCGI data layers; historical aerial photos; local resident interviews
54					Reported current deer yard. Wildlife travel corridors reported on west, south, and east sides. High (6-9) wildlife suitability rankings.	VCGI data layers; historical aerial photos; local resident interviews
55					Medium-high (6-7) wildlife suitability rankings. Reported wildlife travel corridor crossing Rt. 30 to east towards Cornwall Swamp.	VCGI data layers; historical aerial photos; local resident interviews
56					Medium-high (6.5-7) wildlife crossing value assigned to Rt. 74 on NW side of site. Medium (5-6) wildlife suitability rankings.	VCGI data layers; historical aerial photos
57					Medium-high (5-6) wildlife crossing value assigned to Rt. 30 on east side of site. Medium (5-6) wildlife suitability rankings. Reported wildlife travel corridor crossing Clark Rd. to south.	VCGI data layers; historical aerial photos; local resident interviews; Beers' 1871 Atlas of Addison County

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
58					Medium-high (5-6) wildlife crossing value assigned to Rt. 30 west of site. Medium (5-6) wildlife suitability rankings.	VCGI data layers; historical aerial photos; local resident interviews; Beers' 1871 Atlas of Addison County
59					Medium-low (5 or less) wildlife suitability rankings for both.	VCGI data layers; historical aerial photos
60					Medium (6) wildlife crossing value assigned to Rt. 30 west of site. Medium (ca. 5) wildlife suitability rankings.	VCGI data layers; historical aerial photos; local resident interviews; Beers' 1871 Atlas of Addison County
61					Medium-low (5 or less) wildlife suitability rankings.	VCGI data layers; historical aerial photos
62					Medium (6) wildlife suitability rankings. 1/4 mile from the Swamp	VCGI data layers; historical aerial photos
63					Medium-high (mid 6's) wildlife suitability rankings. Very close (300 ft.) from edge of swamp.	VCGI data layers; historical aerial photos
64					Reported wildlife travel corridors west and north of area. Medium (ca. 5) wildlife suitability rankings. <1/4 mile from the N.-most end Middlebury Swamp. Close to stretch of Rt. 30 with medium (5-5.5) Wildlife Crossing Value	VCGI data layers; historical aerial photos; local resident interviews

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
65					Part of highest ranked (4.4) habitat block (Snake Mountain South) in Cornwall. Medium (6) wildlife suitability ranking Reported wildlife travel corridor at north end of site.	VCGI data layers; historical aerial photos; local resident interviews
66					Medium-high (6-7) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; historical aerial photos
67					Medium-high (7s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; historical aerial photos; local resident interviews
68					Medium-high (6-7s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; historical aerial photos; local resident interviews
69					Medium-high (6-7s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; historical aerial photos
70	red maple-northern white cedar swamp, northern white cedar swamp, cedar-black spruce swamp, "cedar-shrub swamp", northern hardwood forest.	eastern jacob's ladder, swamp fly-honeysuckle, green adder's-mouth, white adder's-mouth, Carex tenuiflora, lily-leaved twayblade, ram's head lady's slipper, four-toed salamander	yellow and showy lady's slipper, Carex pseudocyperus, nodding trillium, blue-spotted salamander		High (7-8.8) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall. Mapped deer wintering area.	VCGI data layers; VT F&W-Natural Heritage; local resident interviews; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
71	red maple-northern white cedar swamp	Lily-leaved twayblade (<i>Liparis liliifolia</i>). Some of the rare plants found primarily in cedary area to north also likely occur here.	Some of the uncommon plants found primarily in cedary area to north also likely occur here.		High (7-8) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall. Mapped deer wintering area.	VCGI data layers; VT F&W-Natural Heritage; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy
72	red maple-black ash swamp, red maple-northern white cedar swamp	Some of the numerous rare plants found primarily in cedary area to south also likely occur here			High (8s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall. Mapped deer wintering area.	VCGI data layers; VT F&W-Natural Heritage; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy
73	silver maple-ostrich fern riverine floodplain forest, silver maple-green ash swamp	Creek heelsplitter (<i>Lasmigona compressa</i>) know from Otter Creek, cuckoo flower (<i>Cardamine dentata</i>); green dragon (<i>Arisaema dracocephalum</i>) and great St. Johnswort (<i>Hypericum ascyron</i>) known from very close by along river.	blue-spotted salamander (<i>Ambystoma laterale</i>)		Highest (8-9.9) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; historical aerial photos; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy; VT F&W- Natural Heritage
74	red maple-northern white cedar swamp	eastern jacob's ladder (<i>Polemonium vanbruntiae</i>)			Medium-high (6-7s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall. Mapped deer wintering area.	VCGI data layers; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy; VT F&W- Natural Heritage;
75	silver/red maple-green ash swamp		Short-awn foxtail (<i>Alopecurus aequalis</i>), false cyperus (<i>Carex pseudo-cyperus</i>), nodding trillium (<i>Trillium cernuum</i>)		Medium-high (7s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall. Mapped deer wintering area.	VCGI data layers; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy; Lapin & Engstrom field notes.
76	red maple-black ash swamp				Medium-high (7s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall. Mapped deer wintering area.	VCGI data layers; historical aerial photos; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy

Site Number	Natural Communities	Rare T&E species	Uncommon Species	Uncommon Spp. 2	Wildlife	Sources
77	red maple-black ash swamp				Medium-high (6-7s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; historical aerial photos; local resident interviews; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy
78	red maple-black ash swamp				Medium-high to high (6-8) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; historical aerial photos; local resident interviews; Otter Creek Swamp Site Conservation Plan, 1998, The Nature Conservancy
79	wet clayplain forest, red/silver maple-green ash swamp forest	American hazelnut (<i>Corylus americana</i>) - S2, Rough Avens (<i>Geum laciniatum</i>) - S2			Medium-high (6s) wildlife suitability rankings. Part of the second-highest ranked habitat block (Cornwall Swamp) in Cornwall.	VCGI data layers; local resident interviews; Ecological and Agroecological Evaluation of the Middlebury College Lands, draft April 2009 by M. Lapin